

# Water Level Indicator

## Model: WLI 3

I/P:100-265 V AC, 50 Hz  
 Level Indication by 3mm LED  
 Indication: Empty, Half, Full  
 Alarms: Selectable by switch at Empty or Full/Alarm Off Switch  
 Sensors: Electronic Type Sensors.  
 Size: 115X75X60 mm  
 Max Power: 3 Watt  
 Environmental :  
 Operating Temp 0-55 Deg C  
 Humidity: 0-95 %



## Model: WLI 5

I/P:100-265 V AC, 50 Hz  
 Level Indication by 3mm LED  
 Indication: 20%, 40%,60%,80%,100%  
 Alarms: at 20% LOW and/OR At 100% HIGH (Optional)  
 Alarm Off Switch  
 Relay O/P: P/No/Nc (Optional)  
 Sensors: Electronic Type Sensors.  
 Size: 115X75X60 mm  
 Max Power: 3 Watt  
 Environmental : Operating Temp 0-55 Deg C: 0-95 % Humidity

## Model WLI 10

I/P: 100-265 V AC, 50 Hz  
 Level Indication by 3mm LED  
 Indication : L1,L2,L3,L4,L5,L6,L7,L8,L9,L19  
 Alarms: at L1 LOW and/OR At L10 HIGH (Optional)  
 Alarm Off Switch  
 Relay O/P: P/No/Nc (Optional)  
 Sensors: Electronic Type Sensors.  
 Size: 225X165X55 mm  
 Max Power: 5 Watt  
 Environmental : Operating Temp 0-55 Deg C: 0-95 % Humidity



Dealer:



## PESS Corporation

312, Shaniwar Peth, Siddhant Apt. Campus,  
 PUNE.411030 (INDIA)

Tel.91-20-2448 7774, Fax: 91-20-2448 3234

Email: [pess@vsnl.net](mailto:pess@vsnl.net)/ [pesscorporation@gmail.com](mailto:pesscorporation@gmail.com)

[sales@powersupplyindia.com](mailto:sales@powersupplyindia.com)

Website: [www.powersupplyindia.com](http://www.powersupplyindia.com)

<b>Digital Water Level Indicator</b>		<b>Model: <u>DWLI-R</u></b>
	<p><b>I/P:100-265 V AC, 50 Hz</b>  <b>Level Indication 3 OR 4 Digit Type</b>  <b>Indication: In Engineering Units ( Feet/Meters/Litres/Gallons/Cu.meters)</b>  <b>Alarms: Settable at 20% LOW and/OR At 90% HIGH</b>  <b>Relay O/P: P/No/Nc (Optional)</b>  <b>Sensors: Electronic Type Sensors.</b>  <b>Size: 325X150X 200mm</b>  <b>Max Power: 5 VA</b></p>	
<b>Model: <u>DWLI-P</u></b>	<b>Digital Water Level Indicator</b>	
<p><b>I/P:100-265 V AC, 50 Hz</b>  <b>Level Indication 3 OR 4 Digit Type</b>  <b>Indication: In Engineering Units (Feet/Meters/Litres/Gallons/Cu.meters)</b>  <b>Alarms: Settable at 20% LOW and/OR At 90% HIGH</b>  <b>Relay O/P: P/No/Nc (Optional)</b>  <b>Sensors: Electronic Type Sensors.</b>  <b>Size: 350X170X200mm</b>  <b>Max Power: 6 VA</b></p>		
<b>Resistance Pulley Type Sensor</b>	<b>Sensors Pressure Type Sensor</b>	
		
 <b>PESS Corporation</b> 312, Shaniwar Peth, Siddhant Apt. Campus, PUNE.411030 (INDIA) Tel.91-20-2448 7774, Fax: 91-20-2448 3234 Email: <a href="mailto:pess@vsnl.net">pess@vsnl.net</a> Website: <a href="http://www.powersupplyindia.com">www.powersupplyindia.com</a>		<b>Dealer:</b>

<b>Wireless Digital Water Level Indicator</b>		<b>Model: <u>DWLI-PW</u></b>
		<b>I/P:100-265 V AC, 50 Hz</b> <b>Level Indication 3 OR 4 Digit Type</b> <b>Indication: In Engineering Units (</b> <b>Feet/Meters/Litres/Gallons/Cu.meters)</b> <b>Alarms: Settable at 20% LOW and/OR At 90% HIGH</b> <b>Relay O/P: P/No/Nc (Optional)</b> <b>Sensors: Electronic Type Sensors.</b> <b>Size: 325X150X 200mm</b> <b>Max Power: 5 VA</b>
<b>Model: <u>DWLI-UW</u></b>		<b>Wireless Digital Water Level Indicator</b>
<b>I/P:100-265 V AC, 50 Hz</b> <b>Level Indication 3 OR 4 Digit Type</b> <b>Indication: In Engineering Units (</b> <b>Feet/Meters/Litres/Gallons/Cu.meters)</b> <b>Alarms: Settable at 20% LOW and/OR At 90% HIGH</b> <b>Relay O/P: P/No/Nc (Optional)</b> <b>Sensors: Electronic Type Sensors.</b> <b>Size: 325X150X 200mm</b> <b>Max Power: 5 VA</b>		
<b>Sensors</b>		
<b>Ultrasonic Type Sensor</b> 	<b>Pressure Type Sensor</b> 	<b>Radar Type</b> 
 <b>PESS Corporation</b> 312, Shaniwar Peth, Siddhant Apt. Campus, PUNE.411030 (INDIA) Tel.91-20-2448 7774, Fax: 91-20-2448 3234 Email: <a href="mailto:sales@powersupplyindia.com">sales@powersupplyindia.com</a> / <a href="mailto:pesscorporation@gmail.com">pesscorporation@gmail.com</a> / <a href="mailto:pess@vsnl.net">pess@vsnl.net</a> Website: <a href="http://www.powersupplyindia.com">www.powersupplyindia.com</a>		<b>Dealer:</b>